

# Industrial Sweeper with Hydraulic Dump

High-performance sweeping class with comfortable functions




## KM 120/150 R



# Battery or LPG-powered ride-on sweeper built for tough applications with high dump.

The KM 120/150 R sweepers are industrial-duty, ride-on sweepers featuring Kärcher's EASY<sup>™</sup> Operation system that allows a single knob to control all sweeping functions greatly reducing the time needed to train personnel. The KM 120/150 R features a completely adjustable roller brush; adjustable vacuum power; forward and reverse drive; heavy-duty, durable and dependable hydraulic container lift that is cable free as well as a variety of optional accessories to customize or modify the unit for numerous interior and exterior specialty sweeping functions.



After switching off the engine or roller brush, the sweeper automatically returns to a fixed position.

#### 2 Hydraulic container lift

- Hydraulic container lift from 1.6 to 4.9 ft.
- Low dust emissions.
- Easy container cleaning.
- 39.6 gallon waste container.


## Patented Dust Filter

Water-resistant synthetic pleated filter is 99.5% efficient!

#### 6 Simple Control Knob

- Easy to understand, no confusion
- Variable Speed in Forward and Reverse for different spaces and operators

### 🛛 KARCHER



	Automatic cleaning system (optional)	<ul> <li>Automatic cleaning system (optional)</li> </ul>
Technical data		
Drive	4-stroke LPG engine / Honda	DC motor
Power	GX390 11 HP**	24 V / 2.3 kW
Max. area performance	103,334 / 124,860 ft²/hr (9,600 / 11,600 m²/hr)	77,500 / 93,645 ft²/hr (7,200 / 8,700 m²/hr)
Working width (main broom)	33.5" (850 mm)	33.5" (850 mm)
Working width with 1 or 2 side brushes	47" / 57" (1,200 mm / 1,450 mm)	47" / 57" (1,200 mm / 1,450 mm)
Waste container	5.3 ft <sup>3</sup> (150 m <sup>3</sup> )	5.3 ft <sup>3</sup> (150 m <sup>3</sup> )
Climbing ability	18 %	12 %
Working speed	5 mph (8 km/h)	3.7 mph (6 km/h)
Filter area	97 ft² (9 m²)	97 ft² (9 m²)
Weight <sup>†</sup> lbs.	1,323 lbs. / 1,345 lbs. (600 kg / 610 kg)	1,058 lbs / 1,080 lbs (480 / 490)
Dimensions (L x W x H)	74.8" x 48.1" x 54.7" (1,900 mm x 1,223 mm x 1,390 mm)	74.8" x 48.1" x 54.7" (1,900 mm x 1,223 mm x 1,390 mm)
Equipment		
Round polyester filter	•	•

Round polyester inter		-	-	
Manual / automatic filter cleaning sy	stem			
Adjustable main roller brush				
Floating main roller brush				
Adjustable suction power				
Battery and charger included		-		
Hydraulic container lift				
Order No.	Base Model*	9.840-859.0   9.841-127.0	1.511-109.0   1.511-209.0	
No Batte	ries (includes battery connectors)		9.840-891.0	
	360 AH Batteries		9.840-763.0   9.841-128.0	
	312 AH AGM Batteries		9.840-764.0   9.841-129.0	

■ Included in delivery. \* Base model mac

\* Base model machine does not include batteries or charger.

\*Weight without batteries installed \*\* Net horsepower per manufacturer's ratings



makes a difference

Your Authorized Kärcher Floor Care Dealer:

Kärcher Commercial Phone 888-805-9852 Fax 800-248-8409 info@karchercommercial.com www.karchercommercial.com