

Advance AquaClean® 12/15/18

Portable Extractors



DEFINING
CLEANING
INNOVATION



A truly versatile product for a variety
of time and labor-saving jobs



Advance AquaClean® 12/15/18

Portable Extractors

The AquaClean® Design Uses a “No-Tools-Required” Quick Change System for Removing the Scrub Brush. This Allows Operators to Replace a Worn Brush in a Matter of Seconds.

The Advance AquaClean® has become one of the most popular extractors on the market. It applies cleaning solution, scrubs carpet fibers to loosen dirt, then vacuums away the dirty solution, leaving carpets nearly dry and ready for use.


Compact and lightweight, the AquaClean® is extremely port-able, and gets into congested areas where it’s difficult to clean. A variety of hand tools are available for cleaning stairs, upholstery or other hard-to-reach places.

An optional hard-floor cleaning kit adds versatility to the AquaClean®. Just switch to the vacuum squeegee attachment and you’re ready to go. No tools required. Scrub smooth or textured floors, terrazzo or concrete. The cylindrical brush works great for cleaning grout lines in tile.

Electronic touch controls make operation simple and easy, adding to the productivity of the Advance AquaClean®. Available in 12, 15 and 18 inch (30.5, 38 and 46 cm) size cleaning paths, you can choose the model to fit your cleaning needs.

Ideal Applications Include —

- Hospitals/Healthcare facilities
- Schools and Universities
- Government Buildings
- Supermarkets
- Shopping Malls
- Large Retail Stores
- Airports



VALUE FEATURES



One-Touch™ electronic function controls are conveniently located to keep operation simple and safe




“no-tools-required” quick change brush removing system and other components assures minimal down time



Rugged construction with durable components assures years of reliable performance



Low sound level permits operation anywhere, anytime



See through dome lid for visual confirmation of recovery

One-Touch™, conveniently located controls

Two Systems In One —

The AquaClean® optional hard floor tool kit power-scrubs grouted or textured tile, smooth terrazzo or concrete.

Changeover is easy — no tools required

Single nozzle with large opening to prevent clogging

Adjustable handles for easy storage and operator comfort

Tough Poly tanks with removable recovery tank for ease of emptying

Easy to remove vacuum shoe — no tools required

Quick change brush — no tools required



Carpet Extraction —

The cylindrical brush loosens the dirt. Then the vacuum shoe lifts out dirty solution leaving carpet clean.



Hard Floor Scrubbing —

Cylindrical brush bristles dig into grout lines. Even pressure across entire brush gives superior hard-floor cleaning.



Extraction —

The AquaClean® can be used with optional wand or hand extraction tools for cleaning upholstery, steps or difficult access areas.



Touch Pad Controls —

Controls are conveniently located. Solution control, master on/off, vacuum and brush switches are located at your fingertips.

VALUE FEATURES

The Advance AquaClean®, designed with Total Clean™ Technology, is very comfortable and safe to use — by design. The result is increased productivity. The Advance AquaClean® is also designed with features to make it easy to clean up and maintain after cleaning. That reduces the total cost of ownership and drives down the cost of cleaning.





Advance AquaClean® Keeping Operating Costs Down

The AquaClean® is ruggedly built with simple, durable components and systems, so it will keep on working for years. With its affordable price, The AquaClean® is an investment in floor cleaning productivity that will pay off for years to come.


Defining Cleaning Innovation...

- Our products are designed using innovative technology that increases productivity and drives down the cost to clean.
- You can get expert service and maintenance for your products by factory-trained personnel around the world, as well as fast parts delivery.
- Maintain peak performance with genuine APA parts.




Optional Accessories

- Hard Floor Kit
- Full Assortment of Hand Tools and Drag Tools
- Extraction Cleaner, and Pre-Spray Chemicals
- Scrub and Vac™ Hose for Use With Remote Tools



Technical Specifications

	AquaClean® 12	AquaClean® 15	AquaClean® 18
Solution Tank	4 gal (15 L) polyethylene	8 gal (30 L) polyethylene	11 gal (41 L) polyethylene
Recovery Tank	4 gal (15 L) polyethylene	6 gal (22 L) polyethylene	8 gal (30 L) polyethylene
Solution Pump	Diaphragm type, 0.7 gpm (2.65 L) mfr rated at 60 psi (4 bar), 30 psi (2 bar) operating rate		
Solution	Manual control cable	Manual control cable	Manual control cable
Vacuum Motor	120 v/60 Hz 1.5 hp, 3-stage, bypass, 117 in (297 cm) sealed waterlift, 95 cfm (2688 L/min) at 1.5 in (38 cm) orifice		
Brush Motor	120 v/60 Hz 0.25 hp	120 v/60 Hz 0.25 hp	120 v/60 Hz 0.25 hp
Brush	Removable, 12 in long (30.5 cm) x 3 in (8 cm) diameter, turns at 1,000 rpm	Removable, 15 in long (38 cm) x 3 in (8 cm) diameter, turns at 1,000 rpm	Removable, 18 in long (46 cm) x 3 in (8 cm) diameter, turns at 1,000 rpm
Vacuum Shoe	Removable, stainless steel, 14 in (35.5 cm)	Removable, stainless steel, 18 in (46 cm)	Removable, stainless steel, 20 in (50.8 cm)
Squeegee (Optional)	Removable 18 in (46 cm)	Removable 21 in (53 cm)	Removable 23 in (58 cm)
Power Cable	40 ft (12 m) long, 14/3 wire, vinyl covered, detachable		
Length	30 in (76 cm) w/handle upright	30 in (76 cm) w/handle upright	30 in (76 cm) w/handle upright
Width	15 in (38 cm)	19 in (48 cm)	21 in (53 cm)
Height	42 in (114 cm) w/handle upright	42 in (114 cm) w/handle upright	42 in (114 cm) w/handle upright
Net Weight	99 lb (45 kg)	105 lb (47.7 kg)	111 lb (50.5 kg)
Shipping Weight	114 lb (52 kg)	120 lb (54.5 kg)	126 lb (57 kg)
Part Number	56 264 058	56 264 001	56 264 059



Specifications are subject to change without notice.



14600 21st Avenue North
Plymouth, MN 55447-3408
www.nilfisk-advance.com
Phone: 800-214-7700
Fax: 800-989-6566

396 Watline Avenue
Mississauga, Ontario, Canada L4Z 1X2
www.nilfisk-advance.com
Phone: 800-668-8400 or 905-712-3260
Fax: 800-263-5111 or 905-712-3255