

PURPOSE BUILT.™ AUTOMATIC SCRUBBERS

S-20 DISK / S-20 ORBITAL / Z26T



THE PACIFIC FAMILY OF AUTOMATIC SCRUBBERS.

PURPOSE BUILT.™ FOR WHAT YOU DO.



UNIQUE DESIGN, HIGH VALUE SCRUBBER FAMILY

From the industry-leading high rpm, dual disk design of the Z26T to the premium specifications and performance of the S-20, the Pacific Floorcare™ family of scrubbers offers distinctive features at highly affordable prices. This scrubber product family can make short work of your daily floor cleaning or finish maintenance program.

Each is available with a feature set that is unique in its class. And, when you look at them closely, you'll see the benefits they bring are unmatched. For more information, review the short descriptions on the next page and utilize the selector guide on the last page – you are sure to find a unit that is Purpose Built™ for you and your operations.

EACH ONE MADE FOR A PURPOSE.

The Pacific Floorcare™ line of scrubbers is a simple, concise product family. Should you be a cleaning contractor or an in-house cleaning department, the choice to go with one of these affordably priced scrubbers is a smart one.



S-20 DISK

The S-20 disk head scrubber, available in pad assist or traction drive versions, may very well be the best value in auto scrubbers. This machine features specifications and attributes you would find in the premium price ranges, but at a mid-market price and is Purpose Built™ for:

- Daily scrubbing of small-to-medium facilities
- Small rooms, detail & edge cleaning in large facilities
- Grout & porous floor scrubbing
- Main hallways plus entryways & lobbies
- Checkout aisles
- Spill cleanup & water recovery



S-20 ORBITAL

The S-20 orbital head scrubber comes standard with traction drive, has top of class features and is Purpose Built™ for:

- Deep scrubbing or strip jobs of small-to-medium facilities
- Dedicated facility or multi-facility cleaning programs
- Small rooms, detail & edge cleaning in larger facilities
- Chemical-free finish removal!
- Grout & porous floor scrubbing
- Entry-ways & lobbies
- Check-out aisles
- Spill clean-up & water recovery



Z26T

The Z26T brings high-performance cleaning to the mid-size scrubber category with its high rpm, durable construction and maneuverability. The Z26T is Purpose Built™ for:

- Daily scrubbing of medium-to-large facilities; particularly ones with narrow hallways and a lot of turns
- Grout & porous floor scrubbing
- Spill cleanup & water recovery
- Use on uneven floors (dual-disk head)

GENUINE SERVICE PARTS - PURPOSE BUILT™ TO PROVIDE MAX PERFORMANCE

Why buy a copy when you can get the original parts? The ones actually used in the machine's original design work the best. Not only do you get maximum performance, but you also reduce hassle and downtime. Be sure to contact Pacific Floorcare or a local authorized distributor when you need authentic service parts.

PACIFIC SELECTOR GUIDE

Choose the product that is right for you.

The guide below provides attributes and features that are key factors when selecting a machine that fits your application. Should you need more information, individual product sheets with detailed specifications can be provided by your representative or are available 24/7 at pacificfloorcare.com.

MODEL	S-20 PAD ASSIST	S-20 TRACTION	S-20 ORBITAL	Z26T
DESCRIPTION	20 in disk scrubber	20 in disk scrubber w/ drive	20 in orbital scrubber w/ drive	26 in dual disk scrubber w/drive
KEY COMPARISON ATTRIBUTES				
Cleaning path:	20 in	20 in	20 in	26 in
Head type:	Single Disk – (1) 20 in	Single Disk – (1) 20 in	Single – (1) 20 x 14 in	Dual disk – (2) 13 in
Solution capacity:	11 gal	11 gal	11 gal	16 gal
Recovery tank capacity:	13 gal	13 gal	13 gal	19 gal
Estimated scrubbing time / tank:	55 minutes (@ .2 gpm flow rate)	55 minutes (@ .2 gpm flow rate)	110 minutes (@ .1 gpm flow rate)	53 minutes (@ .3 gpm flow rate)
Estimated productivity / hour*:	10,630 ft ²	14,175 ft ²	14,175 ft ² (scrubbing) 9,000 ft ² (finish removal)	18,900 ft ²
Drive type:	Pad assist	Variable speed traction drive	Variable speed traction drive	Variable speed traction drive
Pad pressure / pad speed:	60 & 90 lb / 230 rpm	60 & 90 lb / 230 rpm	75 & 100 lb / 2,200 rpm	83 lb / 340 rpm
Battery options:	Wet & maintenance free	Wet & maintenance free	Wet & maintenance free	Wet & maintenance free
Battery run time:	Up to 3 hours	Up to 3.5 hours	Up to 4 hours	Up to 3 hours
Product length:	50 in	50 in	45 in	59 in
Squeegee width:	30 in	30 in	30 in	33.5 in
Sound level (operator's ear):	63 dBA	63 dBA	65 dBA	70 dBA
APPLICATION GUIDE				
Facility cleanable floor area (ft ²):	10,000 – 20,000	15,000 – 30,000	15,000 – 30,000	30,000 – 50,000
Facility characteristics**:	Narrow aisles Small to medium rooms & hallways	Narrow aisles Small to medium rooms & hallways	Narrow aisles Small to medium rooms & hallways	Open spaces Medium to large rooms & hallways
Soil load level:	Light to heavy	Light to heavy	Light to heavy	Light to heavy
Surface type / condition:	Smooth & porous floors Flat & uneven floors	Smooth & porous floors Flat & uneven floors	Smooth & porous floors Flat & uneven floors	Smooth & porous floors Flat & uneven floors



* Productivity calculations utilize key factors from ISSA 540 cleaning times handbook

** These are general application guidelines, customer needs may vary

Note: Specifications subject to change without notice