




MORE PRODUCTIVE. MORE MANEUVERABLE.

Easier to use than a comparable 20-inch walk-behind scrubber.

More productive than any other 20-inch scrubber

We designed this stand-on scrubber with productivity as its number one goal. This machine scrubs 50 percent more area than a traditional walk-behind-scrubber. With a lower investment cost, higher productivity rate and simplicity of maintenance it meets and exceeds all expectations. Experience up to a 58 percent operational savings versus competitively sized walk-behind scrubbers. Scrubbing with the Chariot™ 2 iScrub 20 will ultimately improve your bottom line.



1 Productivity focused

- Chariot™ patented stand-on cleaning technology that significantly increases productivity and cleaning quality
- 50% more productive than a conventional 20-inch walk-behind scrubber
- Quiet operation for daytime cleaning
- The center-pivot squeegee uses Aqua-Mizer technology, creating a cleaning chamber that holds the solution so that it is used to the fullest effectiveness. Aqua-Mizer helps you lower your water and chemical consumption, extending up to 50% greater coverage per tankful.

2 Safety first

- Swiveling no-adjustment squeegee with Aqua-Mizer functionality ensures 100% water pick up for dry, safe floors
- Design and size that provides remarkable maneuverability, and best-in-industry 360° visibility that allows the operator to see more of the cleaning area

3 Easy-to-use

- Intuitive control panel with two transport speeds, two operating speeds and an easy-to-clean, fully accessible hygienic recovery tank
- Solution dump hose rotates to the floor for easy, operator-free dumping
- Wide open accessibility for service. Hygienic, easy to clean recovery tanks. Easy access to batteries.
- 48-inch turning radius

Technical Specifications and Order Numbers.

CHARIOT™ 2 ISCRUB 20

TECHNICAL SPECIFICATIONS

Cleaning path	in	20
Productivity (practical)	ft²/hr	18,000
Brushes (disc)	in	20
Brush motor	hp	0.33
Brush speed	rpm	180
Brush pressure	lbs	50
Solution capacity	gal	10
Recovery capacity	gal	10
Electrical system		36V 3x12V 130 A/H, 36V 3x12V 114 A/H AGM
Operating noise level	dB(A)	66.9
Weight (w/o batteries)	lbs	209
Dimensions (L x W x H)	in	42 x 26.5 x 50.75

EQUIPMENT

Order No.	Description
9.840-810.0	Chariot™ 2 iScrub 20, with 3-12/V 130 A/H batteries, 21A automatic charger w/ Pad Driver
9.840-811.0	Chariot™ 2 iScrub 20, with 3-12/V 130 A/H batteries, 21A on-board charger w/ Pad Driver
9.840-812.0	Chariot™ 2 iScrub 20, with 3-12/V 114 A/H AGM batteries, 21A automatic charger w/ Pad Driver
9.840-813.0	Chariot™ 2 iScrub 20, with 3-12/V 114 A/H AGM batteries, 21A on-board charger w/ Pad Driver
9.840-814.0	Chariot™ 2 iScrub 20, with 3-12/V 130 A/H batteries, 21A automatic charger w/ Poly Brush
9.840-815.0	Chariot™ 2 iScrub 20, with 3-12/V 130 A/H batteries, 21A on-board charger w/ Poly Brush
9.840-816.0	Chariot™ 2 iScrub 20, with 3-12/V 114 A/H AGM batteries, 21A automatic charger w/ Poly Brush
9.840-817.0	Chariot™ 2 iScrub 20, with 3 x 114 A/H AGM batteries, 21A on-board charger w/ Poly Brush

ACCESSORIES

Order No.	Description
<input type="checkbox"/> 8.632-606.0	Chariot™ Front Squeegee Linatex
<input type="checkbox"/> 8.632-607.0	Chariot™ Rear Squeegee Linatex
<input type="checkbox"/> 8.634-205.0	Chariot™ Front Squeegee Urethane
<input type="checkbox"/> 8.634-206.0	Chariot™ Rear Squeegee Urethane
<input checked="" type="checkbox"/> 8.600-041.0	Pad Driver, 20-inch
<input type="checkbox"/> 8.600-042.0	Polypropylene Brush, 20-inch
<input type="checkbox"/> 8.628-387.0	Nylon Polish Brush 20-inch
<input type="checkbox"/> 8.600-043.0	Nylon Brush, 20-inch
<input type="checkbox"/> 8.600-044.0	Mild Grit Brush, 20-inch

■ Included Optional

Please contact us for more information:

North America

4555 Airport Way
Denver, CO 80239 U.S.A.

Phone +1 800 444-7654
Fax +1 866 271-0520

Canada

6535 Millcreek Drive
Unit 67
Mississauga, ON L5N 2M2 Canada

Phone +1 905 672-8233
Fax +1 905 672-3155

www.windsorkarchergroup.com