

# Quiet and powerful for noise sensitive areas



Technical Data	S 10	S 20
Total power max.	1100 watts	1100 watts
Waterlift	98"	79"
Dry capacity	6 qts.	9 qts.
Casters	5	5
Power cord	25 ft.	25 ft.
Weight	15 lbs.	22 lbs.
Dimensions (L/W/H)	16"/16"/16"	15"/15"/23"
Sound level	62 dB	65 dB

Special accessory	Order No.
Filter bag S 10 (5-pack)	022.430
Filter bag S 20 (10-pack)	020.430

Fits on a maid's cart.



Round design, ergonomic handle and built-in cord wrap

### **S 10**

The compact design, powerful vacuum performance and low noise level make the S 10 a very user friendly machine, ideal for noise sensitive areas. This power unit is equipped with 5 casters for stability and maneuverability. A full range of attachments allows for seamless cleaning of all surfaces.





5 casters for stability and maneuverability

# Maneuverable with high performance

### S 20

S 10

This vacuum cleaner provides the same powerful performance and handling features as the S 10. The larger capacity makes the S 20 ideal for commercial applications.



S 10 and S 20: Slide-in vacuum hose cuff



# The wet/dry vacuums



# For the cleaning professionals

# SW 25 KW with tipping dolly

With its high vacuum capacity the SW 25 KW copes professionally and reliably with industrial surfaces. The dolly allows the tank to tip backwards for easy emptying. Easy transportation with built-in stair climbers.





Easy draining with tipping dolly

Technical Data:	SW 25 KW
Total power max.	1100 watts
Waterlift	79"
Capacity	7 gal.
Power cord	25 ft.
Weight	27 lbs.
Dimensions (L/W/H)	23"/16"/33"
Sound level	70 dB

Heavy-duty and Canacity

Special accessory	Oluci No.
Filter bag SW 25 KW / SW 50 (10-pack)	020.430
Filter Bag (nylon) for wet pickup in SW 50	026.950
Front mount squeegee	2012250
Mounting plate for #2012250 at SW 50	026.430

## SW 50

This wet/dry vacuum cleaner is specially designed for heavyduty, commercial use. The recovery tank can be drained by tilting the tank backwards or by using the drain hose. Two larger rear wheels and front casters make the SW 50 very maneuverable. Robust roto-mold housing for great durability.

Technical Data:	SW 50
Total power max.	1100 watts
Waterlift	79"
Capacity	13 gal.
Power cord	25 ft.
Weight	44 lbs.
Dimensions (L/W/H)	30"/19"/36"
Sound level	70 dB



# Light-weight and very quiet.





Cleaning in corners and hard to reach areas



Perfect for upholstery cleaning





Hose attachment left or right hand use




Technical Data	RS 05
Total power max.	1100 watts
Waterlift	98"
Dry capacity	4 qts.
Weight	10 lbs.
Power cord	32 ft.
Dimensions L/W/H	11"/11"/22"
Sound level	62 dB

Special accessory	Order No.
Filter bag RS 05 (5-pack)	025.430
Cloth bag	025.435
Toloscopo wand	022 015



## **RS 05**

The unique design on this Cleanfix backpack is state-of-the-art. The hot exhaust air leaves on the back and prevents swetting. The carrying frame has large openings and is extremely comfortable on the back. The low-noise level and light-weight allows for fatigue-free operation.



# ${\it Clean fix\ Clean ing\ Systems\ Inc.}$

465 West Main Street
Wyckoff, NJ 07481, USA
Toll-free 1-866-422-4835
Telephone 1-201-847-7616
Telefax 1-201-847-7619
Internet www.cleanfixusa.com

The company of cleanliness.

