

Product Information

Contact Us 888-550-0945 Ask for Steve Baker Email calibereq@aol.com Caliber Equipment, Inc.

Features of a Multisweep

- Robustly built for use for outside sweeping with some indoor applications being suitable
- Attachable to most forms of forklift, loader or tractor in seconds. Turn an idle forklift into a sweeping machine that collects the dirt
- Can be powered using the hydraulics of some carrier vehicles or by using its own independent diesel or gasoline power pack.
- 21-102 gal gravity or power electric water dust suppression options are available.
- A poly/steel side brush is available both left and right and is extremely effective at removing moss, weeds and other lodged debris from kerbed and walled areas.
- Capable of sweeping up fine dust, brick, loose aggregate or general debris up to 3 inches in diameter.
- Optional remote control operation of sweeping, water system and debris release

Use Benefits

- We offer an onsite sweeping machine. Forget about waiting around for the rental truck to sweep up. Multi Sweep is there when you need it.
- The replacement cost of a broom is on average \$800 and they usually last about 12 months based on 1-1.5 hours sweeping for each working day. All machines have wearable parts but we offer uniformity of parts across the range to minimise stocking.
- The machine can be powered using the hydraulics of the forklift (8gal/min) or by using its own independent power pack. The power pack allows the sweeper to be used by almost any vehicle with forks. Power packs are fairly standard and can be fitted to all machines.
- The addition of the water system is to keep the broom damp while sweeping. It greatly reduces the level of dust raised unlike other conventional open brooms.
- Side kerb brushes are extremely effective at removing moss, weeds or other lodged debris and are a good source of income.



Model 725c discard its dirt



Model 425 including gasoline engine, gravity water system and side brush

Model Pictures



Model 270

Model 900





Model 425

Model 725C



Machine specifications

Model	Width	Volume	Weight empty	Water capacit
				У
270	48in	9.5cuft	880lbs	21gal
425	78in	14cuft	1256lbs	52gal
725	78in	25.5cuf t	1850lbs	52gal
900	94in	31.8cuf t	2370lbs	52gal