


Sweepers

512/712



IPC Eagle

[NEW]



512



712

High Productivity



Up to 48,000 sq. ft./hour and 4 hour run time



Huge hopper capacity



Extensive filtering surface

High Performance



Main brush pressure adjustment



Dust flap for large debris collection

Ergonomics, User Friendly



Easy to use control panel



Great working visibility



Designed to assure minimum noise levels



Battery level indicator



On board charger

Low Maintenance Costs



Dust filter replacement without tools



Easy access to motor compartment

Robust construction



Heavy duty chassis in fully coated steel



Maximum protection against impact



Panel control switches protected against water and humidity

Sweepers 512/712



Maximum comfort and extreme ease of use

Adjustable seat as standard



Easy access to internal components

Simple to tilt entire top body



POWER GENERATOR (PG)

- Available with both electric or manual engine start Honda 4 HP
- 40 Ah generator
- Easy to mount on basic machine
- 46 lbs / 21 Kg



Brush pressure monitor

- Main brush pressure is easily adjusted from walking position
- The led indicator on dashboard allows constant view of brush pressure



Technical data

| | | 512 E | 712 E |
|--------------------------------|-------------|---------------|---------------|
| Max Working Widt | Inches/mm | 28"/700 mm | 36"/900 mm |
| Main Brush Width | Inches/mm | 20"/500mm | 28"/700 mm |
| Productivity (Max Theoretical) | SqFt/M hour | 37,620/3500 | 48,440/4500 |
| Hopper capacity | Gal/Ltr | 13 Gal/50 Ltr | 17 Gal/65 Ltr |
| Power supply | 12 Volt | 12V | 12V |
| Filter Surface | Sq Ft/Sq M | 22/2 | 32/3 |
| Filter Shaker | | Standard | Standard |
| Max speed | mph/Kmh | 3/5 | 3/5 |
| Weight | Lbs/Kg3,5 | 165/75 | 187/85 |
| Dimensions (LxWxH) | Inches/mm | 46x29x36 | 46x37x36 |
| Dimensions (LxWxH) | mm | 1160x740x920 | 1160x940x920 |



IPC Eagle

2955 Lone Oak Drive • Eagan, MN 55121
651.686.5399 • 800-486-2775
www.ipceagle.com

IPC Eagle Corporation Sales and Service Provided by: