American-Lincoln®

7760 Rider Sweeper/Scrubber





Clean Your Toughest Jobs with this POWERFUL Rider!

The 7760 powerfully scrubs dirt, grease and grime, as well as removes any loose debris. It will remove virtually all of the cleaning solution that it puts down, leaving your facility with a clean, dry floor surface. Big on performance and capacity, this true sweeper/scrubber is the answer to your toughest cleaning jobs.

Powerful, aggressive cleaning features include:

- All hydraulic operation
- Up to 600 lbs. of downward scrub brush pressure
- Patented Accu-Track[™] swing squeegee with break-away feature
- 97 hp Ford EFI gas or LP / 47.3 hp Mitsubishi diesel meet EPA requirements through 2007



Extra large capacity features include:


- 100-gallon stainless steel solution and recovery tanks
- All-steel, 16 cubic foot debris hopper
- Broad 54 inch scrubbing and 60 inch sweeping paths
- Heavy-duty, 107 square foot dust filter with automatic shaker system



Recovery tank tilts out for quick and easy clean-up, reducing the amount of time needed for draining and refilling.




Scrub brushes with 600 lbs. of downward pressure provide the most aggressive cleaning possible, yet brushes can be easily changed without tools.





Patented Accu-Track™ squeegee provides superior water pick-up even during the tightest turns.



Maintenance is a breeze with easy-to-reach engine, electrical and hydraulic components.

7760

American-Lincoln®

Rider Sweeper/ Scrubber



KEY FEATURES

- · Two machines in one sweeper and scrubber
- · Aggressive scrubbing system
- · Tilt-out easy-to-clean recovery tank
- Patented Accu-Track[™] swing squeegee with break-away feature
- · Heavy-duty, all-steel construction

SPECIFICATIONS

	Variable Dump		Manual Dump
Scrubbing Path:	-	54 in. (137 cm)	-
Scrub Brush Pressure:		600 lbs. (272 kg)	
Sweeping Path:	60 in. (152 cm)		50 in. (127 cm)
Solution/Recovery Tanks:		100 gal. (380.1 l.) ea.	
Hopper Capacity:	16 cu. ft. (454 l.)		6 cu. ft. (170 l.)
Vacuum Fan:	H	lydraulically driven, high volume	
U-Turn Aisle Width:		120 in. (305 cm)	
Turning Radius (left or right):	82 in. (208 cm)		
Dust Filter:	107 sq. ft. (10 sq. m.)		N/A
Main Broom:		50 in. (106.7 cm)	
Side Broom:	24 in. (61 cm)		Optional
Brushes (3):		18 in. (45 cm)	
Engines:	97 hp Ford EFI gas or LP / 47.3 hp Mitsubishi diesel		
Dimensions:	107	x 59 x 61.5 in. (271 x 150 x 156 cm)	
Height with overhead guard:		85.5 in. (217 cm)	
Weight:	4,150 lbs. (1,882 kg)		3,700 lbs. (1,678 kg)

WHO USES THIS MACHINE?

- Manufacturing plants
- · Discount warehouses
- · Food warehouses
- · Parking garages
- Automotive plants

WHAT DOES IT DO BEST?

- Picks up debris and scrubs aggressively
- · Dries the floor even on tight turns
- Reduces fatigue with ergonomic operator's compartment
- Provides more productivity and less downtime because of low maintenance

WHAT ENHANCES ITS PRODUCTIVITY?

- All hydraulic systems and power steering
- Large, easy-to-clean recovery tank for longer floor time between clean-ups
- Large debris hopper and dust collection system
- Manual or variable 60-inch dump system

WHAT ADDS TO ITS DURABILITY?

- Heavy gauge welded steel chassis with wraparound bumper
- All-steel construction
- Heavy-duty hydraulic system backed by three-year warranty
- Accu-Track[™] break-away squeegee

WHAT ARE THE SAFETY FEATURES?

- Rack and pinion power steering for better handling
- Hopper safety arm
- Excellent front or rear view from operator's compartment
- Complete operator's manual and training video



DISTRIBUTED BY:

American-Lincoln

1100 Haskins Rd Bowling Green, OH 43402 www.americanlincoln.com

Customer Service: 1-800-331-7692
Fax Orders to: 1-877-877-2586
Technical Service: 1-800-331-7691