

Automatic scrubber

# GANSY 25 (G25)



# IPC Eagle

6.6 Gallon, 20" Brush Drive

[NEW]

## Great Productivity



Large solution tank capacity in minimum external space



Solution control with automatic stop (Solenoid valve)



Extensive running time



Brush control with automatic delayed stop



Reusable water system



G25



# Automatic scrubber G25



## High Performance



CFS (Center Flow System)



CWS (Constant Weight System)



High quality and performance vacuum motor



Exclusive squeegee system assures high performance at low cost

## Ergonomics, User Friendly



Great maneuverability due to optimum weight distribution



Easy to transport



Designed to assure minimum noise levels



Great working visibility



Adjustable handle bar



Easy to use control panel



Removable solution tank



Removable recovery tank



Battery level indicator



On board charger



External on-board battery charger plug

## Low Maintenance Costs



Inlet and outlet filters for maximum solution tank protection



Brush replacement without tools



Squeegee blade can be used on 4 sides before replacement



Front cover can be tilted



Squeegee assembly and blades replacement without tools



Hoses removable without tools



Battery removable without tools



Easy access to internal compartments



Many components removable without tools



Easy access to electric compartment



# Automatic scrubber G25



## Durable Construction



Tanks and surrounding body in injection molded polypropylene



Panel control switches protected against water and humidity



Oil bath reduction gear box



Squeegee system designed to absorb harsh impact

## OPTIONAL ACCESSORIES



Front bin



Rear container



Paper towel holder



Rear waste bin

Emulsion oil squeegee blade kit



Standard on board battery charger



## Technical Data

|                        |         | C 45 Electric | B 45 Battery |
|------------------------|---------|---------------|--------------|
| Scrubbing width        | Inch/mm | 20"/500       | 20"/500      |
| Squeegee width         | Inch/mm | 29"/730       | 29"/730      |
| Number of brushes      |         | 1 (disc)      | 1 (disc)     |
| Solution tank capacity | Gal/l   | 6.6/25        | 6.6/25       |
| Recovery tank capacity | Gal/l   | 6.6/25        | 6.6/25       |
| Power supply           |         | 110V - 60 Hz  | 12V          |
| Weight (net)           | Lbs/Kg  | 82/38         | 82/38        |
| Length                 | Inch/mm | 43"/1090      | 43"/1090     |
| Width                  | Inch/mm | 21"/525       | 21"/525      |
| Height                 | Inch/mm | 37"/950       | 37"/950      |

## Automatic scrubber G25



### Detergent delivery and delayed brush autostop

The flow of detergent starts and stops with the brush drive, avoiding waste. Brush rotation stops after three seconds and starts up again when the handlebar control is pressed. Preserves the brush and protects the surface to be cleaned. Adjustable handle height.



### Reusable water system

The detergent and waste water tanks can be removed and transported. 6.6 Gal/25 liters capacity each. Easy to fill, empty and clean. Inflow and outflow filters on the detergent tank protect the machine's internal components



### CWS (Constant Weight System)

Self-levelling brush with gas piston, the head floats on the floor guaranteeing maximum cleaning efficiency at all times. 20" (50 cm) brush provides the washing power of 57.000 bristles.



### Easy to transport

Easy to transport. Weighs less than 82 Lbs (38 Kg) without battery. Can be stored in a small area:

- Length 43" / 1090 mm
- Width 21" / 525 mm
- Height 37" / 950 mm

Hoses, battery and other components can be removed without tools. Easy to assemble and disassemble.



### High performance washing and vacuum motor

High quality vacuum motor and performance due to the larger internal manifold. Exclusive IPC Gansow squeegee guarantees high performance and low cost. Rear suction hose with built-in siphon. Prevents drops of water on the ground when the vacuum motor is turned off.



### Extensive running time

Long running time at 12 V with batteries up to 115 Ah (100 ah Gel) allowing more than 1.5 hour of constant work. About four full tanks and up to 18,000 sq. ft. per charge.



# IPC Eagle

2955 Lone Oak Drive • Eagan, MN 55121  
651.686.5399 • 800-486-2775  
[www.ipceagle.com](http://www.ipceagle.com)

IPC Eagle Corporation Sales and Service Provided by: