

3110/3120



Upright Vacuums

- Lightweight feel with heavy-duty performance
- Bottom-line savings from interchangeable parts
- One of the quietest in the industry at 69 dBA



3110 and 3120 Upright Vacuums

Premium design combined with unsurpassed performance.

With a handle-weight 12% lighter than the leading competitive upright vac, and a brush rpm nearly double the speed of the leading competitor's, your staff will vacuum faster and your carpets will be cleaner with the 3110/3120 upright vacuums.

EASIEST TO USE

From the ease with which the vacuums move, to the remarkably lower sound level, the 3110 and 3120 are designed with users in mind:

- Less strain on the operator's forearm and lower back from a handle-weight 12% lighter than the leading commercial-grade vacuum.
- Easier to push and pull with a fully enclosed, EZ-Grip™ ergonomic handle.
- Noise-sensitive environments are no longer off limits with a very low dBA rating of 69.
- Operators carry the vacuum from a low-center-of-gravity accu-balance front handle.



IDEAL ENVIRONMENTS:

Hospitality – Hotel rooms, casinos, banquet halls, and auditoriums.

Education – Elementary, secondary, colleges, and universities.

Healthcare – Hospitals, doctor's offices, and nursing homes.

Retail – Large boxes and department stores.



UNSURPASSED PERFORMANCE

In addition to how clean a carpet looks, vacuum performance must also be measured by how much more productive your staff can be:

- With dynamically-balanced brushes spinning nearly twice the speed of the leading competitive vac, carpets don't just look cleaner, they are cleaner—faster.
- Bayblend™ housing on the base—protects the motor from the abuse of daily use, keeping the vacs up and running.
- Three-ply filter bags with optional HEPA filter: for premium indoor air quality.



- Ⓐ Reduce operator fatigue with adjustable, light-weight handle
- Ⓑ Reach high surfaces easily with telescoping wand
- Ⓒ Reduce trip and falls with industry-standard safety-yellow cord
- Ⓓ Ensure premium indoor air quality with 3-ply filter bag
- Ⓔ Easy operator access to on-board suite of tools: crevice tool for quick cleaning of corners, round upholstery dusting tool, and extra paper bag storage
- Ⓕ Easy to lift and transport with accu-balance handle
- Ⓖ Ensure the highest air quality with optional HEPA filter
- Ⓗ Protect motor from bumps with durable polymer housing
- Ⓘ Achieve superior cleaning performance from dynamically-balanced high speed brush
- Ⓙ Ensure long-life performance with sealed bearings (vs. bushings)



3110/3120 UPRIGHT VACUUMS

SINGLE MOTOR	3110 (300 mm)*	3110 (380 mm)*
Brush Drive System		
Dynamic balanced brush	4500 rpm	4500 rpm
Vacuum System		
Motor airflow	92 cfm / 2.61 m ³ /min	92 cfm / 2.61 m ³ /min
Motor waterlift	79 in / 2,010 mm	79 in / 2,010 mm
Motor power	1.14 hp / 0.85 kW	1.14 hp / 0.85 kW
Debris Recovery/Filtration		
Vacuum bag capacity	1.2 gal / 4.5 L	1.2 gal / 4.5 L
Air filtration	5 level (optional HEPA)	
Recovery System		
Vacuum hose length	15 in / 380 mm stretches to 63 in / 1,600 mm	
Vacuum wand, telescopic	21 in / 530 mm to 35 in / 890 mm	
Power Cord		
Power cord length	49 ft / 15 m	49 ft / 15 m
Dimensions/Weights		
Product height	44 in / 1,120 mm	44 in / 1,120 mm
Product length	13 in / 330 mm	13 in / 330 mm
Product width	12 in / 300 mm	12 in / 300 mm
Product weight (without cord)	16.6 lb / 7.5 kg	17.1 lb / 7.8 kg
Decibel Rating		
Operator's position	69 dBA	69 dBA

INTEGRATED FAMILY DESIGN

The savings from switching to the new 3110/3120 series start at day one with our integrated family design and continue for the life of the machine:

- Interchangeable parts across motor types reduce stocking time, storage costs, and inventory space translating into immediate, bottom-line savings.
- Even better, all parts are put through extreme real-life, continuous-use testing to ensure repair downtimes are a minimum and savings are at a maximum for the life of the vac.

Discover the possibilities that come from superior engineering.

DUAL MOTOR	3120 (300 mm)*	3120 (380 mm)	3120 (460 mm)
Brush Drive System			
Dynamic balanced brush	4500 rpm	4500 rpm	4500 rpm
Vacuum System			
Motor airflow	92 cfm / 2.61 m ³ /min	92 cfm / 2.61 m ³ /min	92 cfm / 2.61 m ³ /min
Motor waterlift	79 in / 2,010 mm	79 in / 2,010 mm	79 in / 2,010 mm
Motor power	1.14 hp / 0.80 kW	1.14 hp / 0.80 kW	1.14 hp / 0.80 kW
Debris Recovery/Filtration			
Vacuum bag capacity	1.2 gal / 4.5 L	1.2 gal / 4.5 L	1.2 gal / 4.5 L
Air filtration	5 level (optional HEPA)		
Recovery System			
Vacuum hose length	15 in / 380 mm stretches to 63 in / 1,600 mm		
Vacuum wand, telescopic	21 in / 530 mm to 35 in / 890 mm		
Power Cord			
Power cord length	49 ft / 15 m	49 ft / 15 m	49 ft / 15 m
Dimensions/Weights			
Product height	44 in / 1,120 mm	44 in / 1,120 mm	44 in / 1,120 mm
Product length	13 in / 330 mm	13 in / 330 mm	13 in / 330 mm
Product width	12 in / 300 mm	12 in / 300 mm	12 in / 300 mm
Product weight (without cord)	17.9 lb / 8.1 kg	18.4 lb / 8.3 kg	19.2 lb / 8.7 kg
Decibel Rating			
Operator's position	69 dBA	69 dBA	69 dBA

* not available in all areas



SEEING IS BELIEVING

See for yourself how the 3110/3120 upright vacuums can help you clean easier. For a demonstration and additional information, send an email to info@tennantco.com.

Tennant
 701 North Lilac Drive
 P.O. Box 1452
 Minneapolis, MN 55440-1452 USA
 tel: +1-763-540-1315
 fax: +1-763-513-2144
 email: info@tennantco.com
www.tennantco.com