

Industrial-grade productivity.

Productive I Extended runtime
Durable I Compact package for harsh environments
Easy to use I Intuitive industrial design
Sustainable I Optimized water and chemical usage



Smart Cleaning.

SC6000

15

ī

Higher productivity with a lower cost

Unparalleled durability and ease of use.

- 1 Larger battery capacity for up to 30% greater run-time
- **2** Off-set deck allows edge cleaning without added complexity or cost
- **3** SmartFlow[™] automatically adjusts water flow with speed, cutting water and chemical use by up to 50%
- *4* Extended-life cylindrical-deck design for trouble-free operation
- **5** SmartKey[™] provides unique supervisor and user-level access
- **6** Tools-free design and click-on disc brushes make brush and squeegee blade replacements a smooth, and fast process

Food and beverage Warehouses

1

2

4 6

Distri

to clean.



Manufacturing plants bution centers


Effective. Sustainable.

DustGuard™



DustGuard[™] minimizes side broom fugitive dust generation and provides optimal sweeping performance. (optional)

SmartFlow™



SmartFlow[™] adjusts solution flow with the machine's speed, using up to 50% less water and chemicals. Proportionally higher productivity with fewer dump and refill cycles per tankful.

Vac wand



Wet vacuuming in more confined areas. (optional)

EcoFlex[™] System



Flexible cleaning solution with intuitive modes of operation. (optional)

Off-set deck



The off-set deck provides high quality edge cleaning without any added complexity or cost.


Wash hose kit



Apply solution to the floor in conjunction with vac wand, or used for machine cleaning. (optional)

Durable. Customizable.

Extended life cylindrical deck



Provides up to 4X longer drive component life compared to nearest competitor.

SmartKey[™]



Provides unique levels of user access to produce consistent results and reduces total cost of cleaning.

Impact detection



Minimizes downtime and associated repair costs through greater operator accountability.

Heavy duty bumper



Protects the value of your investment by minimizing risk of damage from frontal impact. (optional)

Available with





Under the hood.

Models	SC6000™ 36C	SC6000™ 34D	SC6000™ 40D	
	Scrubbing and Recovery Systems			
Scrub Deck Type	Cylindrical	Disc		
Scrub Path	36 in (91 cm)	34 in (86 cm)	40 in (102 cm)	
Maximum Scrubbing Coverage Rate Per Hour	93,450 ft ²	88,250 ft ²	103,850 ft ²	
Scrub Brush Size	36 x 7.1 in (102 x 18 cm)	17 in (43 cm)	20 in (51 cm)	
Scrub Brush Speed	760 rpm 250 rpm			
Brush Motor Power	2 x 1 hp (0.8 kW)			
Sweeping Path with Optional Side Broom	43 in (109 cm)	Not Applicable		
Debris Hopper Capacity	0.43 ft ³ (12.2 L)	Not Applicable		
Solution / Recovery Tank Capacity	50 gal (190 L)			
Vacuum Motor	0.8 hp (0.6 kW) - dual vac optional			
Waterlift (Sealed)	Single Vac - 57 in (145 cm) / Dual Vac - 63 in (160 cm)			
	Battery and Propulsion System			
Battery Options / Run Time		36 V, 310 wet/312 AGM Ah C20 – Up to 3.5 hrs		
	36 V, 420 Ah wet C20 – Up to 4.5 hrs			
Propulsion System	Variable speed AC brushless drive			
Propel Speed Forward	5.6 mph (9 km/hr)			
Propel Speed Reverse	2.6 mph (4.2 km/hr)			
Propel Motor (Peak)	1.6 hp (1.2 kW)			
Gradeability				
Transport @ Gross Weight	18.5% (10.5°)			
Scrubbing	12.2% (7°)			
	Dimensions/Weight/Sound			
Length	70 in (178 cm)			
Width	46 in (117 cm)	39 in (99 cm)	46 in (117 cm)	
Height	62.3 in (158 cm)			
Minimum Aisle Turn	79.5 in (202 cm)			
Weight				
GVW	2,359 lb (1,070 kg)			
Empty	1,784 lb (810 kg)			
Sound Level IEC 60335-2-72, ISO 11201*	69 dB A			

Specifications subject to change without notice.

SC6000[™]

Available Accessories:

- Right side broom
- EcoFlex[™]
- DustGuard[™]
- Tubular heavy-duty bumper
- Overhead guard
- Rear squeegee guard
- LED headlights
- Warning beaconBack-up alarmVac wand

· Wash hose kit

· Suspension seat

- Autofill kit
- Onboard charger

We also offer industrial vacuums and pressure washers.

Please visit us on the web, or ask your sales representative for more information.



E-mail: questions@nilfisk.com

http://www.pressure-pro.com http://www.hydrotek.us

Reach a new standard of cleaning power. Visit http://www.advance-us.com or contact your Advance sales representative to learn more.

©2016 Nilfisk, Inc. Form L3447A 7-20-16





SC6000™

9435 Winnetka Avenue North Brooklyn Park, MN 55445 www.advance-us.com Phone 800-214-7700 Fax 800-989-6566

240 Superior Boulevard Mississauga, Ontario, Canada L5T 2L2 www.nilfisk-advance.ca Phone 800-668-8400 Fax 800-263-5111



