



CREATING A CLEANER, SAFER, HEALTHIER WORLD.

EQUIPMENT



# 6200

## COMPACT RIDER SWEEPER

- Exceptional performance with efficient, one-pass sweeping and dust containment
- Superb maneuverability from compact size and easy operation
- Dramatically reduced cleaning costs with highly reliable Tennant parts and engineering

## EXPERTLY-DESIGNED 6200 SWEEPER OFFERS EFFORTLESS OPERATION AND INCREASED PRODUCTIVITY



Engineered and built with Tennant's high quality parts, the 6200 delivers virtually continuous operation. Increase productivity with efficient one-pass cleaning, and multi-level dump hopper.

### EXCELLENT SWEEPING AND DUST CONTROL

AutoAdjust™ design matches brush height to brush wear for sweeping of light dust and debris in one pass. The 6200's 2-stage dust control helps remove air-borne dust.

### WORRY-FREE DURABILITY


Solid steel frame, hydraulic oil system and no-tool brush changes keep the reliable 6200 up and running.

### EASY OPERATION FOR INCREASED PRODUCTIVITY

Excellent sightlines, easy-to-use controls, and the multi-level dump hopper makes for easy operation. The hopper can be emptied directly into containers up to 4.5 ft / 1.37 m.

INSIDE THE

# 6200



**A** **Protect fixtures and equipment**, as well as the sweeper, with the rear bumper and corner rollers.

**B** **Maintain maximum cleaning power** with the patented AutoAdjust™ brush cavity that automatically adjusts as bristles shorten.

**C** **Thermo-Sentry™** monitors the hopper temperature and, in dangerously high temperatures, initiates vacuum shut-down.

**D** **Effectively load different types of debris** with adjustable four-sided, front-loading hopper and a sweeping system that can adjust to the type of debris.

**E** **Conveniently empty hopper** directly into containers up to 4.5 ft / 1.37 m.

**F** **VCS® filter-shaking system** effectively contains dust and keeps filter pleats free of clogs.



## HIGH DUMP HOPPER FOR EASE OF USE AND OPERATOR SAFETY

The standard multi-level high dump hopper eliminates manual lifting, helping keep operator safe.

The large capacity hopper means more sweeping between dumpings.

## MUST-HAVE OPTIONS

### Extend cleaning reach

Access hard-to-reach areas with the optional instantly activated vacuum wand.

### Enhance capability

QuickMop® effectively dry mops smooth concrete or finished surfaces with the mop's wide, 5.5 ft / 1.67 m, path.

### Increase productivity

Dual side brushes expand the machine's sweeping reach to clean more floor space in less time.



- Reduce rework, labor and safety costs by using only TennantTrue parts and service.
- Ensure optimal cleaning performance by selecting a TennantTrue Service program provided by a network of over 400 factory-trained Tennant service representatives.
- Improve uptime by leveraging TennantTrue parts and service.
- Simplify budgeting by bundling TennantTrue service plans, including parts, into the purchase or financing of your machine.
- Manage your cleaning program with real-time machine data from Tennant's IRIS™ technology.

Choose GE Capital or U.S. Bancorp, our leasing providers, for simple, quick financing with flexible upgrade options.

## 6200 COMPACT RIDER SWEEPER

### SWEEPING SYSTEM

Cleaning path	
One side brush	42 in / 1,070 mm
Two side brushes	55 in / 1,400 mm
Main brush	
Main brush length (tubular)	28 in / 710 mm
Main brush drive	Belt
Main brush change	No-tool
Side brush diameter	20.5 in / 520 mm
Debris hopper	
Volume capacity	4.4 ft <sup>3</sup> / 125 L
Weight capacity	300 lb / 136 kg
Dump height (variable to)	4.5 ft / 1.37 m

### DUST CONTROL SYSTEM

Filter system (dual stage, to 3 microns)	
Stage 1	Perma-filter™
Stage 2	49 ft <sup>2</sup> panel filter / 4.6 m <sup>2</sup> panel filter
Dust filtration (to)	3 microns
Vacuum fan speed	4,300 rpm

### PROPELLING SYSTEM

Battery package	235 Ah
Propelling motor	0.75 hp / 0.56 kW
Battery Model: Forward (variable to)	5.5 mph / 9 km/h
Reverse (variable to)	3 mph / 4.8 km/h
Gradeability	
Full hopper	6.0 deg/11%
Empty hopper	10.0 deg/18%

### MACHINE SPECIFICATIONS

Length	77 in / 1,960 mm
Width	
With one side brush	48.5 in / 1,230 mm
With two side brushes	56 in / 1,420 mm
Without side brush	42 in / 1,050 mm
Height	56.5 in / 1,440 mm
Weight	
With battery	2,034 lb / 923 kg
Without battery	1,644 lb / 746 kg

### WARRANTY

See your local representative for warranty information.

Specifications subject to change without notice.

## SEEING IS BELIEVING

For a demonstration or additional information,  
call +1.800.553.8033 or email [info@tenantco.com](mailto:info@tenantco.com)

Tennant  
701 North Lilac Drive  
Minneapolis, MN 55422 USA

USA/Canada: +1.800.553.8033  
Quebec: +1.800.361.9050  
Overseas: +1.763.540.1315

[www.tenantco.com](http://www.tenantco.com)  
[info@tenantco.com](mailto:info@tenantco.com)